

### ANALYTICAL REPORT

Job Number: 420-190968-1

Job Description: VRI - Lewisboro/Oakridge 5918395 DW

For: VRI Environmental Services PO Box 943 Millbrook, NY 12545

Attention: Melissa Toro

Dalon Buyer

Debra Bayer
Customer Service Manager
dbayer@envirotestlaboratories.com
02/28/2021

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOPH PH-0554





### ANALYTICAL REPORT

Lab Number:

L2107123

Client:

Envirotest Laboratories Inc.

315 Fullerton Avenue Newburgh, NY 12550

ATTN:

Debra Bayer

Phone:

(845) 562-0890

Project Name:

VRI-LEWISBORO/OAKRIDGE 5918395

Project Number:

42002044

Report Date:

02/27/21

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019 508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



L2107123

Lab Number: Report Date:

02/27/21

Project Name:

42002044 Project Number:

VRI-LEWISBORO/OAKRIDGE 5918395

Receive Date 02/12/21 02/12/21 02/11/21 11:15 02/11/21 00:00 Collection Date/Time Not Specified Not Specified Sample Location FIELD REAGENT BLANK Matrix MO FIELD BLANK (420-190968-2) WELL 6 (420-190968-1) Client ID L2107123-02 L2107123-01 Sample ID Alpha

Project Name: Project Number:

VRI-LEWISBORO/OAKRIDGE 5918395

42002044

Lab Number:

L2107123

Report Date:

02/27/21

### **Case Narrative**

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.



Serial No:02272119:55

**Project Name:** 

VRI-LEWISBORO/OAKRIDGE 5918395

Lab Number:

L2107123

**Project Number:** 

42002044

Report Date:

02/27/21

## **Case Narrative (continued)**

### Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

### Perfluorinated Alkyl Acids

WG1466332-3: The Matrix Spike level is at the Reporting Limit (RL) with acceptance criteria of 50-150%. Any detections below the RL in the native sample are not included in the % Recovery calculation.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

Juxon & Mel Susan O' Neil

Title: Technical Director/Representative

Date: 02/27/21

# **ORGANICS**



# **SEMIVOLATILES**



Serial\_No:02272119:55

**Project Name:** 

VRI-LEWISBORO/OAKRIDGE 5918395

Lab Number:

L2107123

**Project Number:** 

Report Date:

02/27/21

Lab ID:

42002044

SAMPLE RESULTS

L2107123-01

Client ID:

WELL 6 (420-190968-1)

Sample Location:

Not Specified

Date Collected: Date Received: 02/11/21 11:15

Field Prep:

02/12/21 Not Specified

Sample Depth:

Matrix:

Dw

Analytical Method:

120,522

Analytical Date:

02/26/21 21:28

Analyst:

PS

Extraction Method: EPA 522

**Extraction Date:** 

02/19/21 15:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by EPA 522 - Mansfield Lab						
1,4-Dioxane	ND		ug/l	0.167	0.167	1
Surrogate			% Recovery	Qualifier		eptance riteria
1,4-Dioxane-d8			83			70-130

Serial\_No:02272119:55

L2107123

02/27/21

**Project Name:** VRI-LEWISBORO/OAKRIDGE 5918395

**Project Number:** 42002044

SAMPLE RESULTS

Lab Number:

Report Date:

Lab ID: L2107123-01 Date Collected: 02/11/21 11:15

Client ID: WELL 6 (420-190968-1) Date Received: 02/12/21 Sample Location: Not Specified Field Prep: Not Specified

Sample Depth:

Extraction Method: EPA 537.1 Matrix: Dw

**Extraction Date:** 02/19/21 08:55 Analytical Method: 133,537.1 Analytical Date: 02/19/21 18:01

Analyst: LV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 53	7.1 - Mansfield Lab					
Perfluorooctanoic Acid (PFOA)	11.4		ng/l	1.97	0.614	1
Perfluorooctanesulfonic Acid (PFOS)	15.5		ng/l	1.97	0.484	1

Surrogate	% Recovery	Acceptance Qualifier Criteria	
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	103	70-130	
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	93	70-130	
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	100	70-130	
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	96	70-130	



Serial\_No:02272119:55

Project Name: VRI-LEWISBORO/OAKRIDGE 5918395

Lab Number:

L2107123

**Project Number:** 

42002044

Report Date:

02/27/21

Lab ID:

42002044

**SAMPLE RESULTS** 

Date Collected:

02/11/21 00:00

Client ID:

L2107123-02

Date Received:

02/12/21

Sample Location:

FIELD BLANK (420-190968-2) Not Specified

Field Prep:

Not Specified

Sample Depth:

Matrix:

Field Reagent Blank

Analytical Method: Analytical Date:

133,537.1 02/19/21 18:18

Analyst:

LV

Extraction Method: EPA 537.1

**Extraction Date:** 

02/19/21 08:55

Parameter		Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EP	PA 537.1 - Mai	nsfield Lab					
Perfluorooctanoic Acid (PFOA)	4	ND		ng/l	1.86	0.581	1
Perfluorooctanesulfonic Acid (PFOS)		ND		ng/l	1.86	0.458	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	104		70-130	
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	109		70-130	
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	107		70-130	
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	104		70-130	

**Project Name:** VRI-LEWISBORO/OAKRIDGE 5918395

**Project Number:** 42002044 Lab Number:

L2107123

**Report Date:** 

02/27/21

### **GLOSSARY**

### Acronyms

DL

- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)

**EDL** 

- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).

**EMPC** 

- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.

**EPA** 

- Environmental Protection Agency.

LCS

- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.

LCSD

- Laboratory Control Sample Duplicate: Refer to LCS.

LFB

- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.

LOD

- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)

LOQ

Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats

Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats

MDL

- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.

MS

- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.

MSD

- Matrix Spike Sample Duplicate: Refer to MS.

NA

- Not Applicable

NC

- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.

NDPA/DPA - N-Nitrosodiphenylamine/Diphenylamine.

NI

- Not Ignitable.

NP

- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.

NR

- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.

RL

- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.

RPD

- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.

SRM

- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the

STLP

- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.

TEF

- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.

TEQ

- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.

TIC

- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: VRI-LEWISBORO/OAKRIDGE 5918395 Lab Number: L2107123
Project Number: 42002044 Report Date: 02/27/21

### Footnotes

 The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'. Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benza(a)anthracene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. (Note: 'PFAS, Total (6)' is applicable to MassDEP DW compliance analysis only.). If a 'Total' result is requested, the results of its individual components will also be reported.

The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

### Data Qualifiers

- Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations
  of the analyte.
- E Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.
- H The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I The lower value for the two columns has been reported due to obvious interference.
- Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers



Project Name:VRI-LEWISBORO/OAKRIDGE 5918395Lab Number:L2107123Project Number:42002044Report Date:02/27/21

### **Data Qualifiers**

- NJ Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P The RPD between the results for the two columns exceeds the method-specified criteria.
- The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R Analytical results are from sample re-analysis.
- RE Analytical results are from sample re-extraction.
- S Analytical results are from modified screening analysis.

Report Format: DU Report with 'J' Qualifiers



Serial No:02272119:55

Laboratories Inc.

Envirolest

**EnviroTest Laboratories** 

315 Fullerton Avenue

Phone (845) 562-0890 Fax (845) 552-0841 Newburgh, NY 12550

Record
Custody
5
Chain

のででで

and where million 16/E1/C Special Instructions/Note 6 - Ma2S2300 8 - Ma2S2300 5 - M7SO4 1 - TSP Dodesam O - AshinO2 P - Ma2O45 Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)

Return To Clent Disposal By Lab Archive For Month るアるアる 5 TL Job # 420-190968-1 G - Amchipe H - Ascorbe: Acad COC No 420-12987.1 Page 1 of 1 A HOL WANDH C. YE Applie D. WANDH M. WATSO I - Ice J - Or Water K - EDTA erentatings to vedmuM latoT twi Mathyd of Shipmen Analysis Requested The state of the s 444 Sureday "C and Other Recognition Special Instructions/OC Requirements dbayer@envirotestlaboratones com SUBCONTRACT/ 1,4-Dioxane × × SUBCONTRACT/ PFOA/PFOS Bayer, Oathra E-Mail ATTACK. Preservation Code: Water Water Matrix Madiological Type (Cecomp. Gegrab) Sample Due Date Requested. Sample Time 05. N. O. [\_] Unknown Sample Date 211121 Project # 42002044 SSOW# 2/11/21 Mone Skin infani Cilent Information (Sub Contract Lab) Salvarable Requested I, II, III, IV, Other (specify Fierld Blank (420-190968-2) Well 6 (420-190968-1) Custody Seal No Sample Identification Citent ID (Lab ID) VRI - Lewisborg/Oakridge 5918395 DW Fiammathe Possible Hazard Identification Empty Kill Relinquished by Page 24 of 24 A No Shipping/Receiving Non-Hazard Alpha Analytica 8 Wakup Drive. Westborough desquisitied by State, Zp. MA, 01581

2 0

# S

EnviroTest		CHA	CHAIN OF CUSTODY	SNO	TOD	>						REPORT# (L	REPORT# (Lab Use Only)
Laboratories,	nc.	Lab Name Address & Phone	EnviroTest Laboratories 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890	aboratorie Avenue, I	s lewburgh,	New Yor	rk 12550	845-562	0680-			190	89696
PROJECT REFERENCE  Oakridge WTP	PWS NUMBER	PROJECT LOCATION	MATRIX			REG	UIRED A	REQUIRED ANALYSES				PAGE 1 of	44
ENVIROTEST PROJECT MANAGER Debra Bayer	P.O. NUMBER	CONTRACT NO.		Mitric .	Sulfite	-	-	-	-	Slank	alinet	MINGH	Plate Council
olien (вперви Melissa Toro	CLIENT PHONE 845-677-3839	CLIENT FAX		nest(1 f	ber Sod.	nber Soc		o mi wi T		on redmA	) Plastic (	NORMAL	NOUND INE
cuent wake VRI Environmental Services, Inc.	melissat@vri- TylerP@VRI-1	ri-usa.com; -USA.com	VS (G) MOXCAN		шА зей]		n8 im 003		redmA Im	im ocs	m 2St	QUICK	The state of the s
OLENT ADDRESS PO Box 943, Millbrook, New York 12545	545		SOUD et) of W (4				;		009			VERBAL	a de la composição de la c
COMPANY CONTRACTING THIS WORK (if applicable):			NE SEM									#OF COOLERS	
SAMPLE DATE TIME	SAMPLE IDENTIFICAT	NOL	AQUEO D (Drink		S.	NUMBER OF CONTAINERS SUBMITTED	ONTAIN	ERS SUBI	MITTED		-	RE	REMARKS
2/11/20201 11:15 Well 6							-	2	2	2	2	PFOA, PFOS, 1,4-Dioxane	1,4-Dioxane
1/2/1	Blook									15.6		PECA/PE	205
							$\dashv$		$\top$	5			
7					#		+		$\dagger$	+			
							$\vdash$		$\vdash$				and the second s
					<u> </u>								
		en integrindelijk indirectiva betalakinis dalamatarkina menemberahan genedaga integ			_	2 silvivi	20-19	420-190968-E-1	7				
	anderen distribution and explication and security and security residence of the security and sec			1		0							
					_ 	Date Sampled: 2/11/2021	d: 2/11/20	,	420-1627304	7304	,		
				$\frac{1}{1}$	1	1	+	1	+	-			
RELINQUISHED BY: (SIGNATURE)  D. Mayorda	COMPANY	DATE 2/11/20201	Jive V.7.º	RECEIVED	RECEÍVED BY: (SIGNATURE)	(TURE)			Noo	COMPANY	<u> </u>	DATE	TIME
SAMPLED BY: (SIGNATURE)  D. Mayorga	COMPANY	DATE 2/11/20201	TIME	RECEIVED	RECEIVED BY: (SIGNATURE)	TURE)			CON	COMPANY		DATE	TIME
RELINQUISHED BY: (SIGNATURE)	COMPANY	DATE	TIME	RECEIVED	RECEIVED BY: (SIGNATURE)	TURE)			COM	COMPANY		DATE TI	TIME
RECEIVED FOR LABORATORY BY: (1)	TIME	CUSTODY INTACT	Cooler Temp:	LABORATO	LABORATORY REMARKS:		ICE / PH		CL2	Reveiwed by	- Ad by		
Mar ha	2/1/21 1515	NO	480	1								,	
								Accompany					