## TOWN OF LEWISBORO Highway Department

P.O. Box 500 – 11 Main Street South Salem, NY 10590 Tel: (914) 763-3166 Fax: (914) 763-8134

4/1/2024

The Town of Lewisboro Highway Department received, opened, and read aloud sealed bids for the purchase of the following materials at the Town of Lewisboro Town House, 11 Main Street, South Salem NY 10590, at 1:00 p.m. on the 26<sup>th</sup> day of March 2024. Results are attached, the prices will remain in effect until **March 31, 2025**. The following vendors had representatives in attendance: Clove Excavators Inc., Inter County Paving Co. Inc., Kect Construction, Lawton Adams Construction Corp. & Peckham Materials.

The Town of Lewisboro reserves the right to allow all municipal and not for profit organizations authorized under the General Municipal Laws of the State of New York, to purchase any goods and/or services awarded as a result of this bid request in accordance with the latest amendments to NYS GML 100 through 104. However, it is understood that the extension of such contracts are at the discretion of the vendor, and the vendor is only bound to any contract between the Town of Lewisboro and the vendor. Additionally, the Town reserves the right to purchase any goods or services included as part of this bid request from any means legally available to it at any time.

Bituminous Concrete Bituminous Concrete Laid-in-Place Liquid Bituminous Materials/Crushed Stone Laid-in-Place Gravel & Stone Sand Catch Basins, Catch Basin Tops, & Grate Risers Guide Rail & Post Installation Yellow & White Pavement Marking

Thank you,

John Winter Superintendent of Highways

## TOWN OF LEWISBORO HIGHWAY BID RESULTS 2024/2025 Bid opening held March 26, 2024 BITUMINOUS CONCRETE

Laid-In-Place P	er Net Ton	Clove	Intercounty	Kect
403.118902 M	Hot Mix Asphalt, Type 1 Base Course	114.00	121.51	114.00
403.138902 M	Hot Mix Asphalt, Type 3 Binder Course	115.50	122.51	114.00
403.159802 M	Hot Mix Asphalt, Type 5 Shim Course	148.00	151.51	145.00
403.178902 M	Hot Mix Asphalt, Type 6 Top Course	112.80	122.00	114.00
403.178302 M	Hot Mix Asphalt, Type 6F3 Top Course	112.80	123.51	114.00
403.198302 M	Hot Mix Asphalt, Type 7F3 Top Course	128.00	133.51	125.00
403.218902 M	Hot Mix Asphalt, True and Level Course	140.00	160.00	120.00
404.178902	Warm Mix Asphalt Type 6F3 Base Course	119.00	127.51	119.00
404.118902	Warm Mix Asphalt Type 1 Base Course	118.00	127.00	119.00
404.138902	Warm Mix Asphalt Type 3 Binder	119.00	128.00	119.00
402.098101	9.5mm Super Pave Top	128.00	135.00	115.00
402.128102	12.5mm Super Pave Top	112.90	123.51	113.80
402.198901	19.0mm Super Pave Top	115.00	122.51	114.00
402.258901	25.0mm Super Pave Top Binder	116.00	122.51	114.00
402.378901	37.5mm Super Pave Top Base	116.00	122.51	114.00
402.068101	6.3 Polymer Modified Top	148.00	148.51	142.00

Signed/notarized Non Collusion Bid Certificate	Х	Х	Х
Completed & Signed Laid in Place Bituminous page 6 of bid packet	Х	Х	Х

Clove Excavators, Inc/Poughkeepsie, NY Intercounty Paving Company Inc./Carmel, NY Kect Construction Corp/Patterson, NY

#### TOWN OF LEWISBORO HIGHWAY BID RESULTS 2024/2025 BITUMINOUS CONCRETE (BLACKTOP) FOB

#### Bid opening held March 26, 2024

FOB Per Net T	on	Peckham	Thalle	Τ
403.118902 M	Hot Mix Asphalt, Type 1 Base Course	93.50	91.00	
403.128902 M	Hot Mix Asphalt, Type 3 Binder course	94.50	91.00	
403.159802 M	Hot Mix Asphalt, Type 5 Shim Course	118.00	110.00	
403.178902 M	Hot Mix Asphalt, Type 6 Top Course	96.00	93.00	
403.178302 M	Hot Mix Asphalt, Type 6F3 Top Course	96.00	93.00	
403.218902 M	Hot Mix Asphalt, True and Level Course	116.00	101.00	
714-06	Asphaltic Concrete Curb Mix	114.00	0.00	
403-2001	Winter Mix	0.00	0.00	
Optional	Plant Fine Top Mix	106.00	101.00	
	·			
Signed/notarize	ed Non Collusion Bid Certificate	Х	Х	
Completed & Sig	ned Bituminous Concrete page 9 of bid packet	Х	Х	

Peckham Materials Corp/Brewster, NY

Thalle Industries Inc/Fishkill, NY

\*Winter Mix: Only one bid received/envelope not marked 'Sealed Bid' & was opened before bid\*

## **TOWN OF LEWISBORO**

#### HIGHWAY BID RESULTS 2024/2025

Bid opening held March 26, 2024

# **NO BIDS**

#### LIQUID BITUMINOUS MATERIALS

TABLE 702-4 - ITEM 1		
Medium Curing Cutback, Per Gal Applied		

TABLE 702-3 - ITEM 2		
Rapid Curing Cutback, Per Gal Applied		

Table 702-1 - ITEM 3		
Penetration Asphalt Binder, Per Gal Applied		

TABLE 702-5 & 702-6 - ITEM 4		
CRS-2 Cationic Emulsion, Per Gal Applied		

ITEM 5		
6.3mm Polymer modified, Per Gal Applied		

#### BITUMENS & CRUSHED STONE (Complete in Place) - 2024/2025

ITEM 6, Rapid Curing Cutback,		
including 3/8" stone applied & rolled, Per Gal		

ITEM 7, Penetration Asphalt Binder		
including 3/8" stone applied & rolled, Per Gal		

ITEM 8, CRS-2, Emulsified asphalt			
including 3/8: stone applied & rolled, Per Gal			
	-	_	-
Signed/notarized Non Collusion Bid Certificate			

#### TOWN OF LEWISBORO HIGHWAY BID RESULTS 2024/2025 GRAVEL & STONE Bid opening held March 26, 2024 Delivered Per Ton

#### DARK GRAY

Crushed Stone	Lawton	Putnam	Thalle	Wingdale
1/4" Stone	43.00	0	39.00	0.00
3/8" Stone	42.00	0	39.00	39.95
1/2" Stone	40.00	0	39.00	36.45
3/4" Stone	36.00	0.00	34.25	34.95
1-1/2" Stone	0	0.00	34.25	34.95
2" Stone	0	0	34.25	37.50
Stone Fill				
Fine Stone Fill	45.00	0	39.00	0
Light Stone Fill	45.00	0.00	39.00	0
Medium Stone Fill	62.00	0	55.00	0
Heavy Stone Fill	0	0	72.00	0
LIMESTONE				
Crushed Stone	Lawton	Putnam	Thalle	Wingdale
1/4" Stone	0	0	0	0
3/8" Stone	0	0	0	0
1/2" Stone	0	0	0	0
3/4" Stone	0	34.95	0	0
1-1/2" Stone	0	34.95	0	0
2" Stone	0	0	0	0
Stone Fill				
Fine Stone Fill	0	0	0	40.95
Light Stone Fill	0	38.45	0	40.95
Medium Stone Fill	0	0	0	55.45
Heavy Stone Fill	0	0	0	79.95
ITEM 4				
Type 1 Sub base Course – Earth tone	*32.00	27.95	27.50	28.95
Recycled Item 4	**22.00	***17.95	19.50	***17.95
Signed/notarized Non Collusion Bid Cert	Х	Х	Х	Х
Completed & Signed Gravel & Stone page 14	Х	Х	Х	Х

 Completed & Signed
 Gravel & Stone page 14
 X
 X
 X
 X

 Lawton Adams
 Construction Corp/Somers, NY/\*Local item #4/\*\*Per cubic yard/Structural Screened Fill-Earth Tone \$22.00 per cubic yard

 Putnam
 Materials
 Corp/Brewster, NY
 \*\*\*Asphalt Blend

Thalle Industries, Inc/Fishkill, NY

Wingdale Materials LLC/Brewster, NY \*\*\*Asphalt Blend

## **TOWN OF LEWISBORO**

## HIGHWAY BID RESULTS 2024/2025

## Bid opening held March 26, 2024

## SAND

FOB Per Ton	<b>Red Wing</b>	Thalle	Wingdale
Ice Control Sand	18.00	20.00	19.00
Dry Screened	0	20.00	19.00

Delivered Per Net Ton			
Ice Control Sand	30.00	33.00	32.45
Dry Screened	0	33.00	32.45

Signed/notarized Non Collusion Bid Certificate	Х	Х	Х
Completed & Signed Sand page 16 of bid packet	Х	Х	Х

Red Wing Properties Inc/Stormville, NY

Thalle Industries, Inc/Fishkill, NY

Wingdale Materials LLC/Brewster, NY

#### TOWN OF LEWISBORO HIGHWAY BID RESULTS 2024/2025 Bid opening held March 26, 2024 CATCH BASINS, CATCH BASIN TOPS, & GRATE RISERS

	Chemung	Expanded
Reinforced Precast 3 Foot Catch Basin	0	375.00
Reinforced Precast 4 Foot Catch Basin	0	415.00
Reinforced Precast Catch Baby Basin	0	300.00

Precast Reinforced Concrete Tops	Chemung	Expanded
Flat Top 45"x56"x8" with Grate and Frame 19-1/2"x36"	0	804.00
Curb Top 45"x56"	0	820.00

Steel Grate Riser	Chemung	Expanded
36" x 19.375 x 1.5" rise 3" thick	275.00	260.00

Steel Grate Riser	Chemung	Expanded
20 1/8 x 19 5/8 x 2 5/8 inside frame	275.00	0
19 $\frac{3}{4}$ x 19/ $\frac{1}{2}$ x 2 5/8 thick outside grate 1.5" rise	275.00	Ū

Signed/notarized Non Collusion Bid Certificate	Х	Х
Completed & Signed Catch Basins, Catch Basin Tops & Grate Risers pg.	Х	Х

Chemung Supply Corporation/Elmira, NY

Expanded Supply Product/Cold Spring, NY

## TOWN OF LEWISBORO HIGHWAY BID RESULTS 2024/2025 GUIDE RAIL AND POST INSTALLATION SPECIFICATIONS

#### Bid opening held March 26, 2024

#### **Guide Rail and Post Installation Meeting Galvanized Specifications**

		CHEMUNG
1.	Complete layout and installation of guide rail and posts per New York state specifications PER LINEAL FOOT	INSTALL
	12'6" w-beam	11.95
	6'3" w-beam	12.85
	Box Beam	13.60
2.	Corrugated beam type guide railpunched 6'3" PER LINEAL FOOT	16.20
3.	Corrugated beam type guide railpunched 6'3"	
	curved to 50" radius and up EACH	380.00
	curved 40 to 50' radius EACH	380.00
	curved 30 to 39' radius EACH	380.00
	curved 20 to 29' radius EACH	380.00
4.	Corrugated beam type guide raillength 13'6.5" (shop curved rail)(approach and terminal) (rotation 90 degrees) EACH	405.00
5.	3" x 2 3/8" I-intermediate guide rail postslength 5'3" EACH	92.60
6.	Flared type terminal sections, 12 gauge EACH	52.00

7.	Wrap around type terminal sections, 12 gauge EACH	82.00
8.	Concrete anchor unit with all necessary hardware EACH	762.00
9.	Galvanized splice bolts 1 1/4" x 5/8" EACH	1.60
10	Galvanized post bolts 5/16" x 1 3/4" with washer and nuts EACH	1.60
11.	Galvanized post bolts 2' x 5/8" EACH	1.60
12.	Galvanized support bolts 1/2" x 1 1/2", 2 nuts, no washers EACH	1.60
13.	6" x 6" x 24' box beam type guide rail, including shelf angle, splice plates, nuts, and bolts PER LINEAL FOOT	48.45
14.	6" X 6" box beam type guide rail curved to special radius PER LINEAL FOOT	55.10
15.	6" X 6" box beam type guide rail, shop cuts, and mitered curved rail PER LINEAL FOOT	79.05
16.	6" x 6" box beam guide rail end sections EACH	824.00
17.	3" I-beam guide rail posts 5' 3" long, intermediate type post for box beam rail EACH	89.15
18.	3" I-beam guide rail posts 3' 8" long end type post for box beam rail EACH	92.05

#### **Corrugated Box Beam and Guide Rail Materials Meeting Mayari Specifications**

19.	Mayari corrugated beam type guide rail punched 6'3" PER LINEAL FOOT	NO BID
20.	Mayari corrugated beam type guide tail punched 6'3", curved to special radius:	
	curved to 50' radius and up EACH	NO BID
	curved 40 to 50 ' radius EACH	NO BID
	curved 30 to 40 ' radius EACH	NO BID
	curved 20 to 29' radius EACH	NO BID

22.	3" x 2 3/8" Mayari I-intermediate guide rail posts length 5' 3" EACH	NO BID
23.	Mayari flared type terminal sections, 12 gauge EACH	NO BID
24.	Mayari wrap around type terminal sections, 12 gauge EACH	NO BID

25. 6" x 6" x 24' Mayari box beam type guide rail, including shelf angle, splice plates, nuts, & bolts-- EACH NO BID

26.	6" x 6" Mayari box beam type guide rail curved to special radius PER LINEAL FOOT	NO BID
27.	6" x 6" Mayari box beam type guide rail , shop cuts, and mitered curved rail PER LINEAL FOOT	NO BID
28.	6" x 6" Mayari box beam guide rail end sections EACH	NO BID
29.	3" Mayari I-beam guide rail posts 5' 3" long, intermediate type posts for box beam guide rail EACH	NO BID
30.	3" Mayari I-beam guide rail posts 3' 8" long end type posts for box beam guide rail EACH	NO BID

## TOWN OF LEWISBORO HIGHWAY BID 2024/2025 Timber Guide Rail For Roadside Projects and Maintenance

1) Ironwood guide rail, price per L.F. complete

A) 1' – 100' L.F.

B) 100' L.F. and over

2) End terminal, type 1 timber rail complete -- EACH

3) End terminal, type 11' timber rail complete -- EACH

4) Anchorage unit for ironwood guide rail, back slope -- EACH

Signed/notarized Non Collusion Bid Certificate Completed & Signed Guide Rail & Post Installation page 22 of bid packet

Chemung Supply Corporation/Elmira, NY

#### **TOWN OF LEWISBORO**

## HIGHWAY BID RESULTS 2024/2025 Bid opening held March 26, 2024 Pavement Marking

Unit Price Per Mile, Single Center Line			
Unit Price Per Mile, Double Center Line			
Unit Price Per Mile, Single White Edge Line	-10	BID	
4 inch Wide Stop Lines, Per Stop Line	140		
Cross Walks, per cross walk			

Signed/notarized Non Collusion Bid Cert		
Completed & Signed Yellow & White Pavement Markings pg. 24	1	