

SEWER DISTRICT REGULATIONS

TOWN OF LEWISBORO SEWER DISTRICTS

1. Declaration of Purpose: The Rules and Regulations herein set forth for the maintenance and operation of TOWN OF LEWISBORO Sewer Districts, established by the Town Board of the Town of Lewisboro, New York as necessary or desirable for the efficient operation of said Town of Lewisboro Sewer Districts and for accomplishing the purposes of NYSDEC rules and regulations, as amended, and for the protection of the health and safety of the people of Lewisboro and for accomplishing the purposes of NYSDEC rules and regulations. All inquiries should be directed to the administrator of the sewer Districts.

2. Title: These By-Laws shall be

- F. "Owner" shall mean any Person vested with ownership, legal or equitable, sole or partial, or possession of any property.
- G. "Person" shall mean any individual, partnership, company, association, society, corporation or other legal entity.
- H. "Sanitary Sewage" shall mean normal water-carried household and toilet wastes discharged from any property, excluding ground, surface or storm water.
- I. "Sewer" shall mean any pipe or conduit constituting a part of the Sewer District used or usable for sewage collection purposes.
- J. "Sewer Districts" shall mean all facilities, as of any particular time, for collecting, pumping, transporting, treating and disposing of Sanitary Sewage, Industrial Wastes, situated in the Town of Lewisboro and within the boundaries of any Sewer District maintained and operated by the Town of Lewisboro.
- K. "Natural Outlet" shall mean any outlet into a watercourse, pond, ditch, lake or other body of surface or groundwater.
- L. "Notice" shall mean actual notice or written notice mailed postage prepaid first-class mail to any Owner's or Person's last known address or affixed to the door of the premises served by the Sewer.
- M. "Unpolluted water" is water of quality equal to or better than the effluent criteria in effect or water that would not cause violation of water quality standards and would not be benefited by discharge to the sanitary sewers and wastewater treatment facilities provided.
- N. "Interference" shall mean a discharge by an Owner which, alone or in conjunction with discharges by other sources, inhibits or disrupts the wastewater treatment facility, its treatment processes or operations, or its sludge processes, use of disposal and which is a cause of a violation of any requirement of the Sewer District's NYSPDES permit (including an increase in the magnitude or duration of a violation) or of the prevention of sewage sludge use of disposal by the Sewer District in accordance with groundwater protection rules, solid waste rules, hazardous waste rules, the Clean Air Act, the Toxic Substance Control Act, and the Marine Protection Research and Sanctuaries Act.
- O. "Pass Through" shall mean the discharge of pollutants through the Sewer District's waste water treatment plant into waters of the State of New York in quantities or concentrations, which, alone or in conjunction with discharges from other sources, is a cause of a violation of any requirements of the Sewer District's SPDES permit (including an increase in the magnitude or duration of a violation) or of applicable water quality criteria.
- P. "Bathroom" shall mean any room in any residence, pool house, community building, building or garage which contains one operating toilet, water closet, urinal or any other plumbing fixture which will add wastewater to the Sewer District. In the event that there are two toilets per room it shall be considered as two Bathrooms. The number of toilets shall determine the number of Bathrooms if used for billing purposes.

ARTICLE II

Use of Public Sewers Required

Section 2.01 Does Not Apply

Section 2.02. All Sanitary Sewage and Industrial Wastes from any building, after connection of such building with a Sewer as required, shall be conducted into a Sewer,

subject to limitations and restrictions as shall be established herein or otherwise shall be established by the Town of Lewisboro and the Town of Lewisboro Sewer Districts, from time to time.

Section 2.03.

A. It shall be unlawful for any Person to place, deposit, or permit to be deposited in any unsanitary manner on public or private property within the service area of the Town of Lewisboro Sewer Districts or in any area under the jurisdiction of said Sewer Districts any human or animal excrement, garbage, or other objectionable waste.

B. It shall be unlawful to discharge to any Natural Outlet within the Sewer District's service area, or in any area under the jurisdiction of said Sewer Districts, any wastewater or other polluted waters, except where suitable treatment has been provided in accordance with the provisions of these regulations.

Section 2.04. No privy vault, cesspool, sinkhole, septic tank or similar receptacle shall be used and maintained at any time for any building which has been connected to the Sewer District system or which shall be required under by law or regulation to be connected to the collection system of a Sewer Districts.

Section 2.05. No privy vault, cesspool, sinkhole, septic tank or similar receptacle at any time shall be connected with a Sewer.

ARTICLE III

Building Sewers and Connections

Section 3.01. Except as otherwise provided in this Section 3.01, each building shall be connected separately and independently with a Sewer through a Building Sewer.

Grouping of more than one building on one Building Sewer shall not be permitted, except under special circumstances and for good sanitary reasons or other good cause shown, but then only after special permission of the Town of Lewisboro Sewer Districts, in writing, shall have been secured and subject to such rules, regulations and conditions as may be prescribed by the Town of Lewisboro Sewer Districts

Section 3.02. New connections will be made at the expense of the entity wishing to connect. Owners or Persons who will be required to employ the Town of Lewisboro Sewer District or its appointed agent to make said construction of new connections. During construction of a new sewer construct a Sewer Stub from the existing sewer main or newly constructed sewer main to the property line of each existing lot along the line and all costs and expenses of construction of the remainder of the Building Sewer, including connection to the structures served, shall be borne by the Owner of the building to be connected; and such Owner shall indemnify and save harmless the Town of Lewisboro Sewer Districts, its officers and agents, from all loss of damage that may be occasioned, directly or indirectly, as a result of construction of a Building Sewer Connection on the Owner's premises or the connection to the Sewer Districts. After the initial construction of the Building Sewer Connection the Owner shall thereafter be obligated to pay all costs of expenses of operation, repair and maintenance and of reconstruction (if needed) of the entire Building Sewer beginning at Town of Lewisboro Sewer District's Sewer and ending at the building.

Section 3.03. A Building Sewer shall be connected to a Town of Lewisboro Sewer at the place designated by the Sewer Districts and where a connection is provided.

Section 3.04. If the Owner of any building located within the Sewer District and benefited, improved, served or accommodated by any Sewer, or to which any Sewer is available, after 90 days notice from the Sewer District, in accordance with these regulations, shall fail to connect such building as required, said Owner shall be in violation of these regulations and the Sewer District or the Town of Lewisboro may make such connection and may collect from such Owner the costs and expenses thereof by such legal proceeding as may be permitted by law. The Sewer District or the Town of Lewisboro shall have full authority to enter an Owner's property to do whatever is necessary to properly connect the Improved Property to the Sewer District's Sewer.

Section 3.05. No person shall uncover, connect with, make any opening into or use, alter or disturb in any manner any Sewer or any part of the Sewer District without first obtaining a permit, in writing, from the Town of Lewisboro Sewer Districts, and paying to the Sewer District an application fee to be equal to the cost born by Town of Lewisboro Sewer District to have appropriate professionals review said application and make specific recommendations to the Sewer Districts as to the appropriateness of said application.

Section 3.06. In applying for a permit, the Owner shall supply the Town of Lewisboro Sewer Districts with sufficient information in writing to satisfy it that construction will be in compliance with these regulations and the Owner shall specifically describe all wastes and the amount thereof to be discharged.

There shall be two (2) classes of building sewer permits: a) for residential and commercial service producing only domestic wastewater; and b) for service to establishments producing Industrial Wastes. In either case, the owner(s) or his agent shall make application in writing to the Town of Lewisboro Sewer Districts. The permit application shall be supplemented by any plans, specifications, or other information considered pertinent in the judgment of the Town of Lewisboro Sewer District. A permit and inspection fee for a residential or commercial building sewer permit and for an industrial building sewer permit shall be paid to the Sewer Districts at the time the application is filed .

The Town of Lewisboro or the Sewer District may require a user of sewer services to provide information needed to determine compliance with this document. These information may include:

- A. Wastewater discharge peak rates and volume over a specified time period.
- B. Chemical analyses of wastewaters as well as temperatures.
- C. Information on raw materials, processes, and products affecting wastewater volume and quality.
- D. Quantity and disposition of specific liquid, sludge, oil, solvent, or other materials important to sewer use control.
- E. A plot plan of sewers on the user's property showing sewer and pretreatment facility location.
- F. Details of wastewater pretreatment facilities.
- G. Details of systems to prevent and control the losses of materials through spills to the Sewer.

Section 3.07. Construction must meet the following requirements:

- A. All connections and joints will be smooth, neat and water tight.

- B. All excavations shall provide for safe and sanitary disposal of water, not allowing it to enter the collection system.
- C. All materials used shall be of good quality and satisfactory to Town of Lewisboro as well as meet all governmental codes and regulations for materials.
- D. All Building Sewers shall be of sufficient size and type satisfactory to all regulatory agencies and the Town of Lewisboro
- E. The slope from the building to the Sewer shall be satisfactory to all regulatory authorities and the Sewer District. If the slope cannot be made satisfactory, then such other reasonable steps will be taken as will be satisfactory to Town of Lewisboro to ensure the operation and use of the Building Sewer.
- F. All work shall be done in strict conformity to the sewer permit.

ARTICLE IV

Rules and Regulations Governing Building Sewers and Connections to Sewers

Section 4.01. No Building Sewer or repair thereto shall be covered or backfilled until it has been inspected and approved by the Town of Lewisboro **If any part of a Building Sewer is covered before so being inspected and approved, it shall be uncovered for inspection at the cost and expense of the Owner of the building to be connected to a Sewer.**

Section 4.02. The Owner shall maintain every Building Sewer in a sanitary and safe operating condition.

Section 4.03. Every excavation for a Building Sewer shall be guarded adequately with barricades and lights as reasonable required protecting all persons from damage and injury. Installation shall follow all rules and regulations of OSHA, New York State, New York City Department of Environmental Protection and any other regulatory authorities with jurisdiction,

Section 4.04. If any Person shall fail or refuse, upon receipt of a notice of the Town of Lewisboro in writing, to remedy any unsatisfactory condition with respect to a Building Sewer, within 45 days of the date of such notice (except that in the case of emergency this time period may be reduced as necessary to protect the health and safety of the public), the Town of Lewisboro may remedy any unsatisfactory condition with respect to a Building Sewer and may collect from the Owner the costs and expenses thereof by such legal proceedings as may be provided by law including all legal fees associated with said collection.

Section 4.05. Any person proposing a new discharge into the system or a substantial change in the volume or character of material or pollutants that are discharged into the system shall notify the Town of Lewisboro at least 180 days prior to the proposed change or connection. All proposed new discharges from residential and Industrial Establishments must be approved by the Town of Lewisboro and all regulatory authorities with jurisdiction. All costs associated with the addition of increased volume or loading shall be the responsibility of those who are proposing the increases.

Section 4.06. When a building in a Sewer District is demolished and not immediately replaced, the Owner, having first obtained a permit, shall adequately seal off the Building Sewer where it connects to the Sewer.

D. All users contributing wastewater whose waste strength is greater than Normal Domestic Wastewater shall prepare and file with the Sewer District a report that shall include pertinent data relating to the wastewater characteristics, including the methods of sampling and measurement to obtain these data, and these data shall be used to calculate the user charge for that user. Town of Lewisboro Sewer Districts shall have the right to gain access to the waste stream and take its own samples, the cost of which shall be born by the user. Should the sewer Districts do so and should the results be substantially different from the data submitted by the user, the user charge for that user shall be revised for the next billing cycle/period to include the cost of analysis and any professional costs required by the sewer Districts to review said analysis.

Section 5.04.

A. All users shall be billed as defined in the approved rent or rates. Late payments shall be subject to late charges or penalties in accordance with NYS law and the approved rent or rate schedule.

B. When any bill (including interest and penalty) remains unpaid for 60 days after the date due; the Town reserves the right to terminate services, said termination can include the termination of potable water supply if said supply is provided by a water Districts owned by the Town of Lewisboro regardless of the payment history of said water use. Termination can also include the physical disconnecting of the sewer lateral, pipe or main from the property of the delinquent user. All costs associated with the excavation of said lateral, pipe or main for the purpose of terminating service shall be the responsibility of said delinquent user. Payment for all costs associated with said termination must be paid in full prior to service being reconnected. Such bill shall be collected in conformance with the rules and regulation as set forth in this document.

C. All sewer charges shall be a lien against the premises served.

Section 5.05

A. The Town of Lewisboro reserves the right to review the rates at least every year and revise the rates as necessary to ensure that adequate revenues are generated to pay the costs of operation and maintenance, including replacement, and that the Sewer District system continues to provide for the distribution of operation and maintenance, including replacement costs, among users and user classes.

Section 5.06.

A. The rates as established by the Town of Lewisboro shall prevail. Any previous contracts, agreements, or arrangements as to rates, methods for collection, or any other element effecting rates and charges shall be null and void.

B. The Town of Lewisboro Sewer District shall revise or amend rates and charges, as deemed necessary for the operation and maintenance of the Sewer District and treatment works.

ARTICLE VI

Sewered Waste Restrictions

Section 6.01. No person shall discharge or cause to be discharged any extraneous waters such as storm water, groundwater, roof runoff, subsurface drainage, or cooling water, to any Sewer.

Section 6.02. Storm water and all other drainage shall be discharged to storm sewers, if available, or to a natural outlet approved by the appropriate regulatory agency. Industrial cooling water or unpolluted process waters may be discharged, on approval of the Sewer

District, and the appropriate regulatory agency into the Sewer or to a storm sewer, if available, or an approved natural outlet.

Section 6.03. No Person shall discharge or cause to be discharged any of the following described waters or wastes to any Sewer:

A. Any gasoline, benzene, naphtha, fuel oil, or other flammable or explosive liquid, solid, or gas.

B. Any waters or wastes containing toxic or poisonous solids, liquids, or gases in sufficient quantity, either singly or by interaction with other wastes, to injure, pass through, or cause interference with any waste treatment process, constitute a hazard to humans or animals, create a public nuisance, cause a violation of the District's discharge permit, or create any hazard in the receiving waters or the wastewater treatment plant, including but not limited to cyanides in excess of 0.004 mg/l as CN in the wastes as discharged to the public sewer.

C. Wastewater sufficiently hot to cause the influent at the wastewater treatment facilities to exceed 104 degrees F (40 degrees C) or cause inhibition of biological activity in the Sewer District waste water treatment plant.

D. Any waters or wastes having a pH lower than 6.0, or higher than 10.0 or having other corrosive property capable of causing damage or hazard to structures, equipment, and personnel of the sewage works.

E. Solid or viscous substances in quantities or of such size capable of causing obstruction to the flow in sewers, or other interference with the proper operation of the sewage works such as, but not limited to, ashes, cinders, sand, mud, straw, shavings, metal, glass, rags, feathers, tar, plastics, wood, unground garbage, whole blood, paunch manure, hair and fleshing, entrails, and paper dishes, cups, milk containers, etc., either whole or ground by garbage grinders.

Section 6.04. No person shall discharge or cause to be discharged the following described substances, materials, waters, or wastes if it appears likely in the opinion of the Sewer District that such wastes can harm either the Sewers, sewage treatment process, or equipment, have an adverse effect on the receiving stream, cause a violation of the District's discharge permit, or can otherwise endanger life, limb, public property, or constitute a nuisance. The Town of Lewisboro may set limitations lower than the limitations set forth in these regulations below if in the District's opinion such more severe limitations are necessary to meet the above objectives. In forming such opinion as to the acceptability of these wastes, the Sewer District will give consideration to such factors as the quantities of subject wastes in relation to flows and velocities in the sewers, materials of construction of the sewers, nature of the sewage treatment process, capacity of the sewage treatment plant, degree of treatability of wastes in the sewage treatment plant, and other pertinent factors. The substances prohibited are:

A. Wastewater containing more than 10 milligrams per liter of petroleum oil, non-biodegradable cutting oils, or product of mineral oil origin.

B. Wastewater from industrial plants containing floatable oils, fats, or grease.

C. Any garbage that has not been properly shredded. The installation and operation of any garbage grinder equipped with a motor of 3/4 horsepower (0.76 hp metric) or greater shall be subject to the review and approval of the sewer Districts

D. Any waters or wastes containing strong acid iron pickling wastes, or concentrated plating solutions whether neutralized or not.

E. Any waters or wastes containing heavy metals, solvents, and similar objectionable or toxic substances to such degree that any such material discharged to the public sewer exceeds the limits established by the Town, the NYSDEC, NYCDEP, or the National Categorical Pretreatment Standards, as promulgated by the U.S. Environmental Protection Agency for such materials.

F. Any waters or wastes containing phenols or other tastes or odor producing substances, in such concentrations exceeding limits which may be established by the sewer Districts as necessary, after treatment of the composite sewage, to meet the requirements of the State, Federal, or other public agencies of jurisdiction for such discharge to the receiving waters.

G. Any radioactive wastes or isotopes of such half-life or concentration as may exceed limits established by the SPDES permit in compliance with applicable State or Federal regulations.

H. Any waters or wastes having pH in excess of 10.0.

I. Material that exert or cause:

1. Unusual concentrations of inert suspended solids (such as, but not limited to, Fullers earth, lime slurries, and lime residues) or of dissolved solids (such as, but not limited to, sodium chloride and sodium sulfate).

2. Excessive discoloration (such as, but not limited to, dye wastes and vegetable tanning solutions).

3. Unusual BOD, chemical oxygen demand, or chlorine requirements in such quantities as to constitute a significant load on the sewage treatment works.

4. Unusual volume of flow or concentration of wastes or both constituting slugs widely variant from the normal or average.

J. Waters or wastes containing substances which are not amenable to treatment or reduction by the sewage treatment processes employed, or are amenable to treatment only to such degree that the sewage treatment plant effluent cannot meet the requirements of other agencies having jurisdiction over discharge to the receiving waters.

K. Any water or wastes which, by interaction with other water or wastes in the public sewer Districts, release obnoxious gases, form suspended solids which interfere with the collection system or create a condition deleterious to structures and treatment processes.

L. Wastewater with any constituents at concentrations greater than those as may be established by the Sewer District.

Section 6.05. If any waters or wastes are discharged, or are proposed to be discharged to the collection system, which waters contain the substances or possess the characteristics enumerated in Section 4 of this Article, and which in the judgment of the Town of Lewisboro, may have a deleterious effect upon the wastewater facilities, processes, equipment, ability for the facility to meet the Districts' discharge permit, or receiving waters, or which otherwise create a hazard to life or constitute a public nuisance, the Town may:

A. Reject the waste,

B. Require pretreatment to an acceptable condition for discharge to the public sewers, said cost of all pretreatment shall be borne by the user.

C. Require control over the quantities and rates of discharge and/or,

D. Require payment to cover the added cost of handling and treating the wastes.

If the Sewer District permits the pretreatment or equalization of waste flows, the design and installation of the pretreatment facilities shall be subject to the review and approval of the sewer Districts, and any regulatory agency with jurisdiction, and subject to the requirements of all applicable codes, ordinances, and laws. Such facilities shall not be connected until said approval is obtained in writing. Such approval shall not relieve the owner of the responsibility of discharging treated waste meeting the requirements of this ordinance. Plans and specifications for a proposed pretreatment facility shall be the result of the design of a professional engineer.

Section 6.06. Grease, oil, and sand interceptors shall be provided when, in the opinion of the Sewer District, they are necessary for the proper handling of liquid wastes containing grease in excessive amounts, or any flammable wastes, sand, or other harmful ingredients; except that such interceptors shall not be required for private living quarters or dwelling units. All interceptors shall be of a type and capacity approved by the Sewer District, and shall be located as to be readily and easily accessible for cleaning and inspection. In the maintaining of these interceptors the Owner(s) shall be responsible for the proper removal and disposal by appropriate means of the captured material and shall maintain records of the dates, and means of the disposal which are subject to review by the Town of Lewisboro. Any removal and hauling of the collected materials not performed by Owner(s) personnel must be performed by currently licensed waste disposal firms. In the event said interceptors are not properly maintained by the Owner, the Sewer District reserves the right to provide what ever maintenance is necessary in the eyes of the Sewer District. All costs associated with said maintenance shall be the responsibility of the Owner. In the event of a continual problematic discharge from said interceptors, service may be terminated until such time as an appropriate resolution is proposed by the Owner. All costs associated with termination of service will be the responsibility of the Owner and service shall not be reconnected until all costs associated with said termination are paid in full.

Section 6.07. All Industrial Waste shall be pretreated in accordance with federal and state regulations and this ordinance to the extent required by applicable National Categorical Pretreatment Standards, state pretreatment standards or standards established by the Town of Lewisboro, whichever is more stringent. Where preliminary treatment or flow-equalizing facilities are provided for any waters or wastes, they shall be maintained continuously in satisfactory and effective operation by the Owner at his expense.

Section 6.08. The Owner of any building serviced by a Building Sewer carrying Industrial Waste shall install a suitable control manhole together with such necessary meters and other appurtenances in the Building Sewer to facilitate observation, sampling and measurement of the wastes. Such manhole shall be accessibly and safely located and shall be constructed in accordance with plans approved by the Sewer District and any regulatory agency with authority. The manhole shall be installed by the Owner at its expense and shall be maintained by the Owner so as to be safe and accessible at all times. The Owner shall perform such monitoring as the Sewer District may reasonably require including installation, use and maintenance of monitoring equipment, keeping records

and reporting the results of such monitoring to the Sewer District such records shall be made available upon request of the Sewer District and any regulatory agency that may request said records.

Section 6.09. When required by the Town of Lewisboro, the Owner of any property serviced by a Building Sewer carrying Industrial Waste, or waste determined by the Sewer District to require similar monitoring as Industrial Waste, shall install a suitable structure together with such necessary meters and other appurtenance in the Building Sewer to facilitate observations, sampling, and measurement of the wastes. Such structure, when required, shall be accessible and safely located and shall be constructed in accordance with plans approved by the Town of Lewisboro. The structure shall be installed by the Owner at his expense and shall be maintained by him so as to be safe and accessible at all times.

All Industrial Establishments discharging into the Sewer shall perform such monitoring as the Sewer District or duly authorized employees of the Sewer District may reasonably require including installation, use and maintenance of monitoring equipment, keeping records and reporting the results of such monitoring to the sewer Districts such records shall be made available upon request by the sewer Districts to other agencies having jurisdiction over discharges to the receiving waters.

Section 6.10. All measurements, tests, and analyses of the characteristics of waters and wastes to which reference is made in these regulations shall be determined in accordance with the latest edition of "Standard Methods for the Examination of Water and Wastewater", published by the American Public Health Association, or with the EPA approved methods published in the Code of Federal Regulations, Title 40, Part 136 (40 CFR 136) or any successors thereto. Sampling methods, locations, times, durations, and frequencies may be determined on an individual basis subject to approval by the Town of Lewisboro.

Section 6.11. Septic tank waste (seepage) will not be accepted into Sewer.

Section 6.12. It shall be illegal to meet requirements of this document by diluting wastes in lieu of property pretreatment.

ARTICLE VII

Variance

Section 7.01. The Town of Lewisboro Sewer District may, in its sole discretion, allow reasonable variances from these regulations which will not result in a violation of State or Federal Law subject to suitable conditions, provided:

- A. The Owner pays a variance fee equal to all costs to the Sewer District for said variance.
- B. The variance allowed is the least variance reasonable.
- C. The variance will not cause additional costs or undue harm or inconvenience to the Sewer District or the Owner's neighbors.

Section 7.02. The Owner shall apply for the variance in writing to the Town of Lewisboro. The application shall identify the name and address of the Owner, the property in question, the specific variance sought by the Owner and a reason justifying the variance. The variance fee shall be paid with the application or the variance shall be deemed to have been denied. The variance as issued shall identify any changes, limitations or restrictions on the variance as applied for.

Section 7.03. No statement contained in this article shall be construed as preventing any special agreement or arrangement between the Sewer District and any Industrial Establishment whereby an Industrial Waste of unusual strength or character may be accepted by the Sewer District for treatment, provided that such agreements do not contravene any requirements of existing Federal or State laws, and/or regulations promulgated there under, are compatible with any sewer rate or rents in effect, and do not waive applicable National Categorical Pretreatment Standards.

ARTICLE VIII

Powers and Authority of Inspectors

Section 8.01. The duly authorized agent of the Town of Lewisboro shall be authorized to enter all properties as reasonably necessary for the purpose of inspection regarding compliance with this document. This includes monthly meter readings at any commercial properties where a meter reading is necessary for billing purposes. This includes residential homes to maintain a count on number of plumbing fixtures and bathrooms for billing purposes.

Section 8.02. The Town of Lewisboro and other duly authorized employees of the sewer Districts bearing property credentials and identification shall be permitted to enter all properties for the purposes of inspection, observation, measurement, sampling, and testing pertinent to discharge to the collection system in accordance with the provisions of this document.

Section 8.03. The Town of Lewisboro or other duly authorized employees or contractors are authorized to obtain information concerning commercial and or industrial processes, number of plumbing connections, bathrooms that have a bearing on the kind and source of discharge to the Sewer. The industry may request that the information in question not be made available to the public if it can establish that revelation to the public might result in an advantage to competitors. The information in question shall be made available upon written request to governmental agencies for uses related to this ordinance, the SPDES permit, or the pretreatment program. The burden of proof that information should be held confidential rests with the industry. However, information about wastewater discharged by the industry (flow, constituents, concentrations, and characteristics) shall be available to the public without restriction.

Section 8.04. While performing the necessary work on private properties, the Town of Lewisboro or duly authorized employees or agent of the Sewer District shall observe all safety rules applicable to the premises established by the Owner.

Section 8.05. The Town of Lewisboro and other duly authorized agent or employees of the Sewer District bearing proper credentials and identification shall be permitted to enter all private properties through which the Sewer District holds an easement for the purposes of, but not limited to, inspection, observation, measurement, sampling, repair and maintenance of any portion of the wastewater facilities lying within said easement. All entry and subsequent work, if any, on said easement, shall be done in full accordance with the terms of the easement pertaining to the private property involved.

ARTICLE IX

Penalties

Section 9.01. Any person making a misrepresentation in any permit application or otherwise violating these Regulations shall be guilty of a violation. Thirty (30) days following notice to the owner of such violation, each day of continued violation shall be a

separate offense. This penalty shall be in addition to the Sewer District right to correct or enjoin any violation, charging the expense thereof to the Owner.

Section 9.02. Any Person found to be violating any provision of these Regulations shall be served by the Town of Lewisboro with written notice stating the nature of the violation and providing reasonable time for the satisfactory correction thereof. The Person shall, within the period of time stated in such notice, permanently cease all violations. The Sewer District may, after notice to the Person violating any provisions of these Regulations, immediately halt or prevent such discharge reasonably appearing to present an imminent endangerment to the health and welfare of person, or any discharge presenting, or which may present, an endangerment to the environment, or which threatens to interfere with the operation of the collection system or wastewater treatment facilities.

Section 9.03. Any Person found to be violating any provisions of these Regulations may be disconnected from the Sewer District. All costs associated with said disconnection shall be born by the violator

Section 9.04. No Person shall break, damage, destroy, uncover, deface, or tamper with any structure, appurtenance or equipment, which is part of the Sewer District. Any Person violating this provision shall be guilty of a misdemeanor.

APPENDIX I

FORMULA FOR DETERMINING THE SURCHARGE FOR TREATING EXCESS BIOCHEMICAL OXYGEN DEMAND (BOD)

$(C1-200) \times Q \times 8.34 \times S1$

C1 = Concentration of BOD in milligrams/liter

Q = Total volume of waste water processed during billing period in millions of gallons

8.34 = Conversion of milligrams/liter to pounds

S1 = Unit charge for each pound of BOD in dollars (To be determined when plant is in operation.)

FORMULA FOR DETERMINING THE SURCHARGE FOR TREATING EXCESS AMOUNTS OF SUSPENDED SOLIDS

$(C2-250) \times Q \times 8.34 \times S2$

C2 = Concentration of suspended solids in milligrams/ liter

Q = Total volume of waste water treated during the billing period in millions of gallons

8.34 = Conversion of milligrams/liter to pounds

S2 = Unit Charge for each pound of suspended solids in dollars (To be determined when plant is in operation.)